EAST Search History K.G.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	655	(356/406,419).CCLS.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:28
L4	3180	rgb with (yellow cyan infrared nm)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:29
L5	21	3 and 4	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:31
L6	4	(("5636143") or ("5671060")).PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:42
L7	633	koji near takahashi	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L8	130	L7 and sensors	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L9	2	L7 and sensors near3 (fourth)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L10	1853	koji near takahashi	EPO; JPO	OR	ON	2006/12/01 12:42
L11	59	L10 and sensors	EPO; JPO	OR	ON	2006/12/01 12:42
L12	0	L10 and sensors near3 fourth	EPO; JPO	OR	ON	2006/12/01 12:42
L13	6	L10 and sensors near3 (three four "3" "4" plurality third fourth)	EPO; JPO	OR	ON	2006/12/01 12:42
L14	59	hideyasu near ishibashi	EPO; JPO	OR	ON	2006/12/01 12:42
L15	2	L14 and sensors	EPO; JPO	OR	ON	2006/12/01 12:42
L16	12	hideyasu near ishibashi	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L17	208	makoto near yamada	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L18	12	L17 and sensors near3 (three four "3" "4" plurality third fourth)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L19	917	makoto near yamada	EPO; JPO	OR	ON	2006/12/01 12:42
L20	2	L19 and sensors near3 (three four "3" "4" plurality third fourth)	EPO; JPO	OR	ON	2006/12/01 12:42
L21	3483	(356/402-425).CCLS.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:42

EAST Search History

L22	444	L21 and sensors near3 (three four "3" "4" plurality third fourth)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L23	1348	L21 and (sensors detect$3 imag$4 photod$ photomult$) near3 (three four "3" "4" plurality third fourth)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L24	1164	L21 and (sensors detect$3 imag$4 photod$ photomult$) near3 (three four "3" "4" third fourth)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L25	128	L23 and (determin$ identify$ discriminat$) near4 (type)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L26	20	L23 and (determin$ identify$ discriminat$) near4 (type) near3 (light source lamp)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L27	8	L26 not loudermilk	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L28	669	L21 and (sensors detect$3 imag$4 photod$ photomult$) near3 ("4" four fourth)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L29	70	L28 and (determin$ identify$ discriminat$) near4 (type)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L30	56	L29 not L26	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L31	3997	(determin$ identify$ discriminat$) near4 (type) near3 (light source lamp)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L32	1043	L31 and (sensors detect$3 imag$4 photod$ photomult$) near3 ("4" four fourth "3" three third)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L33	150	L32 and (RGB CMYK)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L34	1	("6822677").URPN.	USPAT	OR	ON	2006/12/01 12:42
L35	11	("20010009438" | "20010048476" | "5063439" | "5249041" | "5319449" | "5489939" | "5751349" | "6184940" | "6611289" | "6621922" | "6628331").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L36	201402	(determin$ identify$ discriminat$) near4 (light source lamp)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42

EAST Search History

L37	0	L16 and L35	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L38	1	L36 and L35	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:42
L39	4	("4914738").URPN.	USPAT	OR	ON	2006/12/01 12:42
L40	3	("4041308" | "4079388" | "4220412").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L41	2	("6150930").PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:42
L42	0	("7006135").URPN.	USPAT	OR	ON	2006/12/01 12:42
L43	16	("20010007470" | "20020027601" | "20020113881" | "5043804" | "5319449" | "5337152" | "5526048" | "5659357" | "5691772" | "5732293" | "5751354" | "6160581" | "6363220" | "6573932" | "6727942" | "6791606").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L44	12	L43 and type	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L45	8	L43 and type near3 (light source lamp)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L46	4	("6453066").URPN.	USPAT	OR	ON	2006/12/01 12:42
L47	0	L46 and type near3 (light source lamp)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L48	1	("5414537").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L49	2	("6201932").PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:42
L50	4	("6038011").URPN.	USPAT	OR	ON	2006/12/01 12:42
L51	10	("3782947" | "4279945" | "4293215" | "4302523" | "4403854" | "4769695" | "4797713" | "5130745" | "5194892").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L52	3	("5298935").URPN.	USPAT	OR	ON	2006/12/01 12:42
L53	5	("5260739").URPN.	USPAT	OR	ON	2006/12/01 12:42

EAST Search History

L54	8	("3736856" | "4511229" | "4626893" | "4887121" | "4914738" | "5016094" | "5053871" | "5087936").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L55	15	("4220412").URPN.	USPAT	OR	ON	2006/12/01 12:42
L56	4	("3672268" | "3904872" | "4041308" | "4079388").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:42
L57	8	("6150930").URPN.	USPAT	OR	ON	2006/12/01 12:42
L58	10	("3962578" | "4642687" | "4651001" | "4679068" | "4751571" | "4939369" | "4969037" | "4995061" | "5001558" | "5107333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:43
L59	4	("5043804").URPN.	USPAT	OR	ON	2006/12/01 12:43
L60	2	("4574303" | "4646161").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:43
L61	79	(396/225).CCLS.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:43
L62	67	L61 and type	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43
L63	1624	(250/226).CCLS.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:43
L64	201	L63 and type near3 (light source lamp)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:43
L65	50	L63 and (determin$ identify$ discriminat$ detect$) near4 (type) near3 (light source lamp)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43
L66	1	("6515275").URPN.	USPAT	OR	ON	2006/12/01 12:43
L67	3	("5710948" | "6201932" | "6211521").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/01 12:43
L68	1	L67 and (determin$ identify$ discriminat$ detect$) near4 (type) near3 (light source lamp)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43
L69	208	(356/406).CCLS.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:43
L70	7	L69 and (determin$ identify$ discriminat$ detect$) near4 (type) near3 (light source lamp)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43

EAST Search History

L71	1205	(determin$ identify$ discriminat$ detect$) near4 (type) near3 (light source lamp)	EPO; JPO	OR	ON	2006/12/01 12:43
L72	208	L71 and (sensors detect$3 imag$4 photod$ photomult$) near3 (three four "3" "4" plurality third fourth)	EPO; JPO	OR	ON	2006/12/01 12:43
L73	49	L71 and (sensors detect$3 imag$4 photod$ photomult$) near3 (three four plurality third fourth)	EPO; JPO	OR	ON	2006/12/01 12:43
L74	135	spectr$ near3 energy near2 distribution	EPO; JPO	OR	ON	2006/12/01 12:43
L75	3	L74 and linear	EPO; JPO	OR	ON	2006/12/01 12:43
L76	2152	spectr$ near3 energy near2 distribution	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43
L77	815	L76 and linear	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43
L78	26	L76 and linear with sensitivity	US-PGPUB; USPAT; DERWENT	OR	ON	2006/12/01 12:43
L79	2	("6038399").PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/12/01 12:43

EAST Search History INTERFERENCE K.G.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L80	73885	((sensors detect$3 imag$4 photod$ photomult$) near3 (three four "3" "4" plurality third fourth)).clm.	US-PGPUB	OR	ON	2006/12/01 12:55
L81	55204	((sensors detect$3 imag$4 photod$ photomult$) near3 (four "4" plurality fourth)).clm.	US-PGPUB	OR	ON	2006/12/01 12:59
L82	6994	((red and green and blue)).clm.	US-PGPUB	OR	ON	2006/12/01 12:56
L83	1126	81 and 82	US-PGPUB	OR	ON	2006/12/01 12:56
L84	72	((sensors detect$3 imag$4 photod$ photomult$) near3 (four "4" plurality fourth) with (nm)).clm.	US-PGPUB	OR	ON	2006/12/01 12:58
L85	5	82 and 84	US-PGPUB	OR	ON	2006/12/01 12:59
L86	21237	((sensors detect$3 imag$4 photod$ photomult$) near3 (four "4" fourth)).clm.	US-PGPUB	OR	ON	2006/12/01 12:59
L87	386	82 and 86	US-PGPUB	OR	ON	2006/12/01 13:00
L88	32739	(nm).clm.	US-PGPUB	OR	ON	2006/12/01 13:00
L89	20	87 and 88	US-PGPUB	OR	ON	2006/12/01 13:00

Dialog DataStar

options | logoff | feedback | help

databases | easy search

INSPEC K.G.

Advanced Search:

Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	takahashi-k$	unrestricted	4059	show titles
2	INZZ	1 AND fourth ADJ sensor	unrestricted	0	-
3	INZZ	1 AND four ADJ sensors	unrestricted	0	-
4	INZZ	ishibashi-h$	unrestricted	186	show titles
5	INZZ	4 AND sensor$	unrestricted	1	show titles
6	INZZ	yamada-m$	unrestricted	2124	show titles
7	INZZ	6 AND sensor$	unrestricted	25	show titles
8	INZZ	four ADJ sensor$	unrestricted	102	show titles
9	INZZ	(determin$ OR detect$ OR calculat$) NEAR type NEAR (light OR source OR lamp OR laser)	unrestricted	69	show titles
10	INZZ	8 AND 9	unrestricted	0	-

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips ☐ Thesaurus mapping

whole document

Information added since: or: none
(YYYYMMDD)

search

☐ Documents with images

Select special search terms from the following list(s):

- Publication year 1950-
- Publication year 1898-1949
- Inspec thesaurus - browse headings A-G
- Inspec thesaurus - browse headings H-Q
- Inspec thesaurus - browse headings R-Z
- Inspec thesaurus - enter a term

Google Scholar BETA

"fourth sensor" author:k author:takahashi Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Tip: Try removing quotes from your search to get more results.

Your search - **"fourth sensor" author:k author:takahashi** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try your query on the entire web.

Google Home - About Google - About Google Scholar

Google Scholar BETA

red green blue author:"h ishibashi" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar

Results **1** - **6** of **6** for **red green blue author:"h ishibashi"**. (**0.11** seconds)

All Results

H Ishibashi
T Matsumoto
T Iwase
J Nabekura
G Tamiya

Tip: Try removing quotes from your search to get more results.

Adrenomedullin Enhances Angiogenic Potency of Bone Marrow Transplantation in a Rat Model of Hindlimb ... - group of 9 »
... , T Fujii, T Itoh, **H Ishibashi**-Ueda, M Yamagishi, ... - 2005 - circ.ahajournals.org
... PKH26 (**red**)/vWF (**blue**) double-positive cells (pink, arrows) were frequently ... MNC-derived
vascular structures often included -SMA–positive cells (**green**). ...
Cited by 8 - Related Articles - Web Search

Whole genome association study of rheumatoid arthritis using 27 039 microsatellites - group of 4 »
... Nakashige, D Yamaguchi, **H Ishibashi**, M Yonekura, Y ... - Human Molecular Genetics, 2005 - hmg.oxfordjournals.org
... status of draft sequence (**green**: finished, pink: draft and dark **blue**: predraft); black bars in second columns indicate sequence gaps, whereas **red** bars on right ...
Cited by 8 - Related Articles - Web Search

Developmental switch from GABA to glycine release in single central synaptic terminals - group of 4 »
... , S Jinno, Y Mizoguchi, A Sasaki, **H Ishibashi** - Nature Neuroscience, 2004 - cns.nyu.edu
... adherent functional synaptic boutons stained **green** with FM1 ... strychnine (300 nM, GABAergic mIPSC, **blue**, n = 121 ... bicuculline (5 μM, glycinergic mIPSC, **red**, n = 96 ...
Cited by 23 - Related Articles - Web Search - BL Direct

Tropoelastin Interacts with Cell-surface Glycosaminoglycans via Its COOH-terminal Domain - group of 5 »
... Broekelmann, BA Kozel, **H Ishibashi**, CC Werneck, FW ... - Journal of Biological Chemistry, 2005 - jbc.org
... interference contrast microscopy images and the panels on the right are composite fluorescence images showing vinculin (**green**), actin (**red**), and nuclei (**blue**). ...
Cited by 4 - Related Articles - Web Search - BL Direct

TRANS-3'-HYDROXYCOTININE O-AND N-GLUCURONIDATIONS IN HUMAN LIVER MICROSOMES - group of 5 »
... Nakajima, M Katoh, A Kanoh, O Tamura, **H Ishibashi** ... - Drug Metabolism and Disposition, 2005 - dmd.aspetjournals.org
... 193 and 80 for trans-3'-hydroxycotinine (**blue** line); m ... and 193 for trans-3'-hydroxycotinine glucuronide (**red** line ... Shimada N, Chiba K, Ishizaki T, **Green** CE, Tyson ...

Cited by 1 - Related Articles - Web Search

Molecular heterogeneity of central synapses: afferent and target regulation
... , S Jinno, Y Mizoguchi, A Sasaki, **H Ishibashi** - Nature Neuroscience, 2003 - nature.com
... adherent functional synaptic boutons stained **green** with FM1 ... of strychnine (300 nM, GABAergic mIPSC, **blue**, n = 121 ... bicuculline (5 M, glycinergic mIPSC, **red**, n = 96 ...
Related Articles - Cached - Web Search

red green blue author:"h ishibashi" Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

red green blue author:"k takahashi" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles** Recent articles Results **1** - **10** of about **109** for **red green blue author:"k takahashi"**. ((

All Results
K Takahashi
M Kuroda
K Furuya
T Ohta
I Uchiyama

Whole genome sequencing of meticillin-resistant Staphylococcus aureus - group of 6 »
M Kuroda, T Ohta, I Uchiyama, T Baba, H Yuzawa, I ... - The Lancet, 2001 - Elsevier
... Colours represent functional classification adopted in Bacillus subtilis genome study (**blue**, category I; **green**, category II; **red**, category III; orange ...
Cited by 448 - Related Articles - Web Search - BL Direct

Odor maps in the mammalian olfactory bulb: domain organization and odorant structural features - group of 3 »
N Uchida, YK Takahashi, M Tanifuji, K Mori - Nature Neuroscience, 2000 - nature.com
... by the **red** contour and those activated by phenols by the **blue** contour. (b) A coronal section labeled with OCAM antibody (**red**) and N-catenin antibody (**green**). ...
Cited by 142 - Related Articles - Cached - Web Search - BL Direct

Arthritis Critically Dependent on Innate Immune System Players - group of 14 »
... FMA Hofhuis, SA Boackle, **K Takahashi**, VM Holers, M ... - Immunity, 2002 - Elsevier
... MBL is shown as half-**blue**/half-white because an MBP-A deficiency showed ... with K/BxN or control serum) were stained with anti-C3 (**green**) and anti-IgG (**red**). ...
Cited by 156 - Related Articles - Web Search - BL Direct

Topographic Representation of Odorant Molecular Features in the Rat Olfactory Bulb - group of 5 »
YK Takahashi, M Kurosaki, S Hirono, K Mori - Journal of Neurophysiology, 2004 - jn.physiology.org
... glom#92, #99, and #104) (Rat#6). Black dots, **red** dots, **green** dots, and **blue** dots indicate carbon, oxygen, chlorine, and nitrogen atoms, respectively. ...
Cited by 22 - Related Articles - Web Search - BL Direct

Distorted Odor Maps in the Olfactory Bulb of Semaphorin 3A-Deficient Mice - group of 3 »
M Taniguchi, H Nagao, YK Takahashi, M Yamaguchi, S ... - Journal of Neuroscience, 2003 - jneurosci.org
... C and D show the fatty acid- (**red**), phenol- (**green**), and aliphatic alcohol- (**blue**) responsive domains in two different adult wild-type mice, whereas EJ show ...
Cited by 23 - Related Articles - Web Search - BL Direct

Requirement of Chromatid Cohesion Proteins Rad21/Scc1 and Mis4/Scc2 for Normal Spindle-Kinetochore ... - group of 5 »
... Toyoda, K Furuya, G Goshima, K Nagao, **K Takahashi** ... - Current Biology, 2002 - Elsevier
... The H1 kinase activity did not peak in the Mad2-deleted double mutants.(B) Anti-tubulin (**red**), anti-Sad1 (**green**), and DAPI (**blue**) staining were done for wild ...
Cited by 30 - Related Articles - Web Search - BL Direct

Bichir HoxA Cluster Sequence Reveals Surprising Trends in Ray-Finned Fish Genomic Evolution - group of 11 »
... Chiu, K Dewar, GP Wagner, **K Takahashi**, F Ruddle, C ... - 2004 - genome.org
... A) Hox genes are indicatedby **blue** rectangles ... PFCs sharedexclusively between human andbichir are indicatedby **green** bars ... HoxA clusters is indicated by a **red** diamond ...
Cited by 29 - Related Articles - Web Search - BL Direct

Full color LED display panel fabricated on a silicon microreflector - group of 2 »
K Takahashi, S Nakajima, S Takeuchi - Micro Electro Mechanical Systems, 1997. MEMS'97, Proceedings ..., 1997 - ieeexplore.ieee.org
... that in a TV which is used to display moving pictures 358 **Red Green Blue** Material GaAlAs GaP GaN Forward Voltage (V) 1.8 2.2 4.5 Brightness (mcd) * 12 5 100 ...
Cited by 4 - Related Articles - Web Search

Phylogenetic Relationships and Ancient Incomplete Lineage Sorting Among Cichlid Fishes in Lake ... - group of 3 »
K Takahashi, Y Terai, M Nishida, N Okada - Molecular Biology and Evolution, 2001 - mbe.oupjournals.org
... was inserted at the time indicated by a **red** arrowhead in ... in most lineages during period I (**blue** rectangle) but ... in each lineage during period II (**green** rectangle ...
Cited by 40 - Related Articles - Web Search - BL Direct

Different behavior of I-Afadin and Neurabin-II during the formation and destruction of cell-cell ... - group of 3 »
T Sakisaka, H Nakanishi, **K Takahashi**, K Mandai, M ... - nature.com
... gel), followed by protein staining with Coomassie brilliant **blue**. ... **Green** (ZO-1), yellow (the mixture of I-afadin and ZO-1), and **red** (I-afadin) signals ...
Cited by 53 - Related Articles - Web Search - BL Direct

Gooooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

red green blue author:"k takahashi" Search

Google Scholar BETA

red green blue author:"m yamada" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles** Recent articles Results **1 - 10** of about **98** for **red green blue author:"m yamada"**. (**0.0**

All Results
M Yamada
K Yamada
R Pankov
E Cukierman
B Geiger

Characteristics of InGaN-based UV/**blue/green**/amber/**red** light-emitting diodes - group of 3 »
T Mukai, **M Yamada**, S Nakamura... - Jpn. J. Appl. Phys., Part, 1999 - jjap.ipap.jp
... Full-color displays, for example, require at least three pri- mary colors, usually **red**, **green** and **blue**, to produce any visible color. ...
Cited by 75 - Related Articles - Web Search - BL Direct

Taking Cell-Matrix Adhesions to the Third Dimension - group of 9 »
E Cukierman, R Pankov, DR Stevens, KM Yamada - Science, 2001 - sciencemag.org
... other substrates, mainly focal adhesions (**red**, or purple due to merging **red** and **blue**) and fibrillar adhesions (turquoise, merged **green** and **blue**) are observed. ...
Cited by 259 - Related Articles - Web Search - BL Direct

Dynamics and segregation of cell– matrix adhesions in cultured fibroblasts - group of 3 »
E Zamir, M Katz, Y Posen, N Erez, KM Yamada, BZ ... - Nature Cell Biology, 2000 - nature.com
... b, The localization of GFP–tensin (Ten; in **green**) and immunolabelled-phosphotyrosine (PY; in **red**) in the same cell, fixed at 50 min. The **blue** arrows at 50 ...
Cited by 130 - Related Articles - Cached - Web Search - BL Direct

... temperature dependences of electroluminescence of InGaN-based UV/**blue/green** light-emitting diodes - group of 3 »
T Mukai, **M Yamada**, S Nakamura - Jpn. J. Appl. Phys, 1998 - jjap.ipap.jp
... Phys. Vol.38(1999) 3976-3981 : Characteristics of InGaN-Based UV/**Blue/Green**/Amber/ **Red** Light-Emitting Diodes Takashi Mukai, Motokazu Yamada and ShujiNakamura; ...
Cited by 12 - Related Articles - Web Search - BL Direct

EXTRACELLULAR MATRIX–CYTOSKELETON CROSSTALK - group of 4 »
B Geiger, A Bershadsky, R Pankov, KM Yamada - NATURE REVIEWS| MOLECULAR CELL BIOLOGY, 2001 - hunterlab.med.tufts.edu
... enriched in these adhesions (**red**) include syndecan-4 ... Integrin-associated molecules in **blue** include: focal ... Actin-associated proteins (**green**) include vasodilator ...
Cited by 341 - Related Articles - View as HTML - Web Search - BL Direct

Neuroprotection mediated by changes in the endothelial actin cytoskeleton - group of 7 »
... Chui, SX Yang, T Simoncini, **M Yamada**, E Rabkin, PG ... - Journal of Clinical Investigation, 2000 - jci.org
... using antibodies to c-myc (FITC, **green**) and phalloidin ... The brighter **red**-yellow colors correspond to higher flows, while the darker **blue**-purple colors ...
Cited by 119 - Related Articles - Web Search - BL Direct

Rewritable optical disk system with over 10 GB of capacity - group of 3 »
... Yamamoto, I Ichimura, F Maeda, Y Kasami, **M Yamada** - Proceedings of SPIE, 2003 - link.aip.org
... Using a **red** LD, a 0.85 NA lens and a 0.1 mm cover PC disk, 8 GB rewritable disk system has been developed. Using a **blue-green** LD and an SHG **blue** laser ...
Cited by 19 - Related Articles - Web Search

Mossy fiber Zn2+ spillover modulates heterosynaptic N-methyl-d-aspartate receptor activity in ... - group of 4 »

S Ueno, M Tsukamoto, T Hirano, K Kikuchi, MK ... - 2002 - intl.jcb.org
... lucidum (SR distal, brown), the stratum radiatum near stratum lucidum (SR proximal, **green**), stratum lucidum (SL, **red**) and stratum pyramidale (SP, **blue**). ...
Cited by 41 - Related Articles - Web Search - BL Direct

Clustering and Enhanced Activity of an Inwardly Rectifying Potassium Channel, Kir4. 1, by an ... - group of 2 »
Y Horio, H Hibino, A Inanobe, **M Yamada**, M Ishii, Y ... - 1997 - jbc.org
... Proteins were stained with Coomassie Brilliant **Blue** (left panel ... cells were stained with anti-SAP97 antibody (D, **green**) and anti-vimentin antibody (E, **red**). ...
Cited by 72 - Related Articles - Web Search - BL Direct

Human homologue of S. pombe Rad9 interacts with BCL-2/BCL-xL and promotes apoptosis - group of 4 »
... , W Zheng, S Cuddeback, **M Yamada**, HB Lieberman, HG ... - Nature Cell Biology, 2000 - nature.com
... very little growth on leucine-deficient medium or no **blue** colour in ... I) fluorescence resulting from the presence of GFP (**green**) and rhodamine (**red**) molecules ...
Cited by 61 - Related Articles - Cached - Web Search - BL Direct

Gooooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Google Scholar BETA

"source type discriminating" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Tip: Try removing quotes from your search to get more results.

Your search - **"source type discriminating"** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try your query on the entire web.

Google Home - About Google - About Google Scholar

Google Scholar BETA

red green blue "fourth sensor" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles** Recent articles Results **1** - **10** of about **18** for **red green blue "fourth sensor"**. (**0.35** se

All Results
D Fay
W Ross
W Streilein
A Waxman
M Aguilar

Fusion of multi-sensor imagery for night vision: Color visualization, target learning and search - group of 3 »
DA Fay, AM Waxman, M Aguilar, DB Ireland, JP ... - Int. Conf. on Info. Fusion, 2000 - ll.mit.edu
... visible and LWIR will show up as **red-green** color contrast ... SWIR and LWIR will be seen as **blue**-yellow color ... by adding in a third or **fourth sensor**, that difference ...
Cited by 13 - Related Articles - View as HTML - Web Search

Multi-channel sensors with reduced metameric errors
D Knipp, PG Herzog, H Stiebig, F König - Journal of Non-Crystalline Solids, 2000 - Elsevier
... of the TCO-layer allows, on one hand, the design of a smaller **blue** and **green** response ranges, and on the other hand the orange, **red** and infrared ...
Cited by 5 - Related Articles - Web Search

Fusion of Multi-Sensor Imagery for Night Vision: Color Visualization, Target Learning and Search'
WD Ross, WW Streilein - ieeexplore.ieee.org
... contrast images. These three processes will form the **red**, **green** and **blue** components of the final color bed image. The enhanced ON ...
Web Search

MODELLING OF AN AUTONOMOUS DOPPLER NAVIGATION SYSTEM SIGNAL PROCESSING UNIT
PV Petraitis - innovexpo.itee.uq.edu.au
Page 1. MODELLING OF AN AUTONOMOUS DOPPLER NAVIGATION SYSTEM SIGNAL PROCESSING
UNIT by P AUL V. P ETRAITIS Department of Computer ...
Related Articles - View as HTML - Web Search

[PS] SIMULATION OF DIGITAL CAMERA IMAGES FROM HYPERSPECTRAL INPUT - group of 2 »
DH Brainard - color.psych.upenn.edu
... Usually three sensor classes with broadband spectral sensitivities are chosen to provide **red**, **green**, and **blue** image planes. The ...
Related Articles - View as HTML - Web Search

A context-specific latent inhibition effect in a human conditioned suppression task - group of 2 »
J Byron Nelson, M Del Carmen Sanjuan - The Quarterly Journal of Experimental Psychology, 2006 - Taylor & Francis
... bottom of the screen with the follow- ing **red–blue–green** (RGB) colour combinations: **Red** consisted of 100% **red**, zero **green**, and zero **blue**; **green** (used in ...
Related Articles - Web Search

Color constancy from mutual reflection - group of 5 »
BV Funt, MS Drew, J Ho - International Journal of Computer Vision, 1991 - Springer
... dimensionality for the set of basis functions modeling reflectance, say 3 or better (Maloney 1986), one must somehow develop a "**fourth sensor** class" to provide ...
Cited by 54 - Related Articles - Web Search

Wearable Collage towards Complex Systems
N Bastian, S Boone, D Carroll, G Eisenbeis, C ... - piglet.uccs.edu

... can scroll is by using the pitch of the **fourth sensor** from horizontal. ... development kit had the option of extracting the RGBA (**Red**, **Green**, **Blue**, Alpha) values ...
Related Articles - View as HTML - Web Search

GEO-REFERENCING OF MULTI-SENSOR RANGE DATA FOR VEHICLE-BORNE LASER MAPPING SYSTEM (VLMS)
D MANANDHAR, R SHIBASAKI - Measurement - shiba.iis.u-tokyo.ac.jp
... scanners. Integration of Range Data from Laser Sensors 1, 2 and 3 **Red** color is Sensor 1, **Blue** Color is Sensor 2 and **Green** Figure ...
Cited by 2 - Related Articles - View as HTML - Web Search

A multiresolution 100-GOPS 4-Gpixels/s programmable smart vision sensor for multisense imaging - group of 2 »
L Lindgren, J Melander, R Johansson, B Moller - Solid-State Circuits, IEEE Journal of, 2005 - ieeexplore.ieee.org
... A third part of the area sensor is coated with color filters, typi- cally **red**, **green**, and **blue** filters, and ... The HiRes rows con- stitute a **fourth sensor** part ...
Related Articles - Web Search

Google ▶
Result Page: 1 2 **Next**

red green blue "fourth sensor" Search

Google Home - About Google - About Google Scholar